



Dealing With the Caretaker Whose Judgment Is Impaired by Alcohol or Drugs: Legal and Ethical Considerations

Steven A. Bondi, JD, MD, FAAP,^a James Scibilia, MD, FAAP,^b COMMITTEE ON MEDICAL LIABILITY AND RISK MANAGEMENT

An estimated 8.7 million children live in a household with a substance-using parent or guardian. Substance-using caretakers may have impaired judgment that can negatively affect their child's well-being, including his or her ability to receive appropriate medical care. Although the physician-patient relationship exists between the pediatrician and the child, obligations related to safety and confidentiality should be considered as well. In managing encounters with impaired caretakers who may become disruptive or dangerous, pediatricians should be aware of their responsibilities before acting. In addition to fulfilling the duty involved with an established physician-patient relationship, the pediatrician should take reasonable care to safeguard patient confidentiality; protect the safety of their patient, other patients in the facility, visitors, and employees; and comply with reporting mandates. This clinical report identifies and discusses the legal and ethical concepts related to these circumstances. The report offers implementation suggestions when establishing anticipatory procedures and training programs for staff in such situations to maximize the patient's well-being and safety and minimize the liability of the pediatrician.

In the course of providing health care services to children, pediatricians may encounter situations in which a patient arrives at the office accompanied by a parent, guardian, or caretaker* who displays signs of judgment impairment. In these circumstances, pediatricians are challenged by an array of professional, ethical, and legal obligations, some of which may conflict. Pediatricians have sought guidance from the American Academy of Pediatrics (AAP) on how to respond to these potentially volatile and risk-laden scenarios. The purpose of this clinical report is to analyze the physician's potentially conflicting duties and suggest ways to interact with both the child and the judgment-impaired

* The term "caretaker" will be used throughout this report to represent a parent, guardian, or other adult who is accompanying a child and providing permission for treatment.

abstract

^aDepartment of Pediatrics, School of Medicine and Dentistry, University of Rochester, Rochester, New York; and ^bHeritage Valley Pediatrics, Beaver, Pennsylvania

Dr Bondi conceptualized and conducted the literature search and wrote and revised the manuscript; Dr Scibilia conceptualized and revised the manuscript; and both authors considered input from all reviewers and the Board of Directors and approved the final manuscript as submitted.

Clinical reports from the American Academy of Pediatrics benefit from expertise and resources of liaisons and internal (AAP) and external reviewers. However, clinical reports from the American Academy of Pediatrics may not reflect the views of the liaisons or the organizations or government agencies that they represent.

The guidance in this report does not indicate an exclusive course of treatment or serve as a standard of medical care. Variations, taking into account individual circumstances, may be appropriate.

All clinical reports from the American Academy of Pediatrics automatically expire 5 years after publication unless reaffirmed, revised, or retired at or before that time.

The information contained in this clinical report is provided for educational purposes only and should not be used as a substitute for licensed legal advice.

This document is copyrighted and is property of the American Academy of Pediatrics and its Board of Directors. All authors have filed conflict of interest statements with the American Academy of Pediatrics. Any conflicts have been resolved through a process approved by the Board of Directors. The American Academy of Pediatrics has neither solicited nor accepted any commercial involvement in the development of the content of this publication.

DOI: <https://doi.org/10.1542/peds.2019-3153>

To cite: Bondi SA, Scibilia J, AAP COMMITTEE ON MEDICAL LIABILITY AND RISK MANAGEMENT. Dealing With the Caretaker Whose Judgment Is Impaired by Alcohol or Drugs: Legal and Ethical Considerations. *Pediatrics*. 2019; 144(6):e20193153

adult in a situation fraught with legal complexity. This clinical report primarily addresses the situation in which the judgment of the caretaker is impaired by use of alcohol or drugs. However, the principles are also applicable to judgment impairment attributable to any cause, such as behavioral health issues, dementia, or an unstable medical condition.

SCOPE OF THE PROBLEM

The US Department of Health and Human Services estimates that 8.7 million children in the United States live in a household with a parent with a substance use disorder. Of those, 7.5 million children are currently living with a parent with an alcohol use disorder, and 2.1 million children are living with at least 1 parent with a drug use disorder.¹ Given the commonality of substance use disorders, it is likely that pediatricians will interact with caretakers under the influence of drugs or alcohol at some point in their careers. Encounters with children accompanied by an impaired caretaker may take place wherever pediatric services are delivered.

The impact of caretaker substance use on children is profound and has been described in the pediatric literature. Two AAP publications examine the pivotal role of the primary health care provider in addressing the health needs of children whose caretakers use drugs or alcohol.^{2,3} An extensive discussion of the impact of parental substance use is better addressed by those resources and is beyond the scope of this report. Instead, the report outlines the immediate risks and legal considerations associated with managing a caretaker whose judgment is impaired for any reason during a medical encounter.

ETHICAL AND LEGAL CONSIDERATIONS

There are multiple ethical and legal issues involved when dealing with

a caretaker whose judgment is impaired by any means, but most often, this involves alcohol or drugs. Impairment is defined as “the state of being diminished, weakened, or damaged, especially mentally or physically.”⁴ What constitutes a significant impairment is highly contextual. Consider that an airline pilot may not consume alcohol for 8 to 12 hours before flying, but adults are legally permitted to drive having just consumed an appropriate-sized alcoholic beverage. Given that the assessment of impairment can be subjective and influenced (perhaps unconsciously) by such factors as the caretaker’s race, ethnicity, or socioeconomic status, it is critically important for the pediatrician to be aware of his or her own biases, including the possibility of unconscious bias, when making a determination of impairment. For example, in 1 study, given comparable levels of maternal drug use based on urine drug screens, women who were economically disadvantaged or from ethnic or racial minorities were more likely to be reported to child protective services compared with other women.⁵ Staff training for the acknowledgment and recognition of bias can be helpful.

Pediatricians should consider how caretaker impairment might affect

- the physician-child, physician-family, and family-child relationships;
- the duty to act in the best interest and for the safety of the patient;
- the need to obtain informed permission from a competent legal guardian;
- the importance of safeguarding patient confidentiality;
- the mandated reporting of suspected child abuse and neglect; and
- the duty as an employer, business owner, or supervisor to protect the safety of employees and visitors in the office.

These obligations can be complex and nuanced and can appear to conflict. The general considerations in this report are provided to enable pediatricians to develop broad policies responsive to these situations. In translating this guidance into specific policy, pediatricians should seek advice from competent legal counsel so that policies accord with appropriate state law. The report serves as general guidance and, as such, should not be considered a specific course of action for any particular situation.

PHYSICIAN-PATIENT RELATIONSHIP

The parents, guardians, and other caretakers who accompany infants, children, and adolescents play an important role in pediatric encounters. For most children, the adult provides permission for treatment, furnishes pertinent historical information, is responsible for implementing the treatment plan, and is financially responsible for medical care. It is important to remember, however, that the physician-patient relationship exists between the pediatrician and the child. The pediatrician’s first duty is to the best interests of the patient.⁶

The physician-patient relationship conveys many duties, the first of which is to prevent harm. When the pediatrician believes that the accompanying adult’s impaired judgment substantially risks harming the patient, the caretaker himself, or others, the pediatrician should act. Confrontations should be avoided, if possible. For instance, all reasonable steps should be taken to keep an impaired caretaker from driving. Not only would the patient be in considerable danger if allowed to ride in a motor vehicle being driven by someone who is impaired, but the caretaker and the public would also be endangered. Depending on the circumstances, appropriate action could involve arranging alternate

transportation (eg, calling a taxi, contacting another family member to intervene) or providing temporary emergency child care. In cases of immediate danger when discussion with the caretaker fails to result in a safe and satisfactory resolution, law enforcement should be called. In such circumstances, child protective services should also be contacted (see below, Mandated Reporting). Courts have generally not recognized a duty to protect a nonpatient from his or her own behavior, so it is unlikely that a physician would be held civilly liable for failure to protect the impaired caregiver. Failing to safeguard the child patient from the caregiver, however, could constitute negligence.

BEST INTEREST OF THE PATIENT

Parents and guardians are legally and morally required to act in the best interests of their children.^{7,8}

Caretakers exhibiting signs of alcohol or drug impairment may be incapable of caring for a child properly. Therefore, the pediatrician's actions should be guided by the child's best interest, especially when the caretaker's condition compromises his or her ability to share that interest.

PERMISSION FOR CARE

Permission for medical care can be complicated in pediatrics. The doctrine of informed consent has limited direct application in pediatrics because parents and other surrogates provide informed permission rather than informed consent for diagnosis and treatment of children. Ethical and legal considerations are articulated in a number of AAP publications.⁹⁻¹² A pediatrician should always use his or her judgment to determine if a parent, guardian, or medical proxy is capable of providing informed permission. Judgment-impaired caretakers may lack the capacity to

provide informed permission for their child's medical treatment. In some situations, it may be apparent that the caretaker has recently used alcohol or drugs but may not be obviously impaired. Pediatricians should take care in these circumstances because the sufficiency of informed permission can be challenged after the fact. Accordingly, if the child, by virtue of age, medical condition, or legal status, cannot consent to his or her own treatment, and the caretaker's capacity to give permission is uncertain because of the impairment, it would be advisable to postpone routine, nonurgent medical care, including, but not limited to, routine physical examinations or immunizations. The provision of nonurgent care without appropriate consent or permission is unethical and risks allegations of unauthorized treatment and even battery.¹³⁻¹⁵

Hospital emergency departments are bound by the Emergency Medical Treatment and Active Labor Act.¹⁶ Under this law, a physician in certain situations is mandated to perform a "medical screening examination" to assess for an emergent medical condition, regardless of consent. Additional care may need to be given in the absence of consent or permission if a delay would result in a threat of harm to the child's life or health. The Emergency Medical Treatment and Active Labor Act requirement for a medical screening examination generally does not apply to physician offices, unless located at the same facility as a hospital.

CONFIDENTIALITY AND PRIVACY

Caretakers have a reasonable expectation that information provided to the child's physician during a medical encounter will be considered confidential and protected by applicable laws. Physicians should take reasonable care to safeguard health information obtained from the

caretaker concerning the family, such as health and social history. Additional safeguards may be needed for topics such as substance use or mental health concerns. These efforts should be reflected in the medical office's privacy and security policies for protecting patient records and other forms of identifiable health data according to any state and federal laws, including the Health Insurance Portability and Accountability Act of 1996.¹⁷⁻¹⁹

Although generally not protected by law, attempting to maintain the privacy of interactions with an impaired caretaker is appropriate. Discussions with caretakers, patients, and others concerning substance use or other impairing problems should be conducted in a manner that maximizes privacy and confidentiality. For example, if the receptionist notices that a caretaker appears to be intoxicated when checking in for an appointment, it might be prudent to direct the impaired person to an area where he or she may be spoken to discreetly. This would be preferable to a confrontation in the reception area in the presence of the caretaker's child and other patients. However, if the impaired individual is disruptive, quick action may be needed to contain the situation. In such instances, keeping the impaired person from harming others would take precedence over preserving his or her privacy. Office policy and staff training can be helpful in anticipating and appropriately dealing with these circumstances.

MANDATED REPORTING

Every state has enacted laws to mandate reporting of child abuse and neglect. Physicians and other mandated reporters are required to put the child's best interest above the privacy concerns of the caretaker.^{19,20}

The standards used to determine when a mandatory reporter is

required to notify authorities of abuse or neglect differ from state to state, including who is a mandated reporter, the level of knowledge or suspicion of abuse necessary to report, and what constitutes abuse.²¹ Although definitions vary, generally, the pediatrician is required to report when he or she has a reasonable suspicion that a child has been abused or neglected. A child driven to the pediatrician's office by an intoxicated caretaker would clearly meet this threshold. In situations in which the caretaker is using a legal substance but is not actually intoxicated or in which there is a recent history of caretaker substance abuse, the decision to report is more challenging. In such circumstances, it is incumbent on the pediatrician to consider all available information in the decision to report, including but not limited to past medical and social history, conversations with the child and family, results of the medical examination, and any other relevant factors. Even interactions with the caretaker on social media might be informative. It is important to remember that the threshold for reporting is generally low: a reasonable suspicion.

The US Department of Health and Human Services has compiled a summary of state and territory laws regarding mandated reporting.²¹⁻²³ State Web sites may offer additional guidance to health care providers on mandated reporting of child abuse. Health care providers are wise to understand the applicable law in their jurisdiction and to seek qualified legal advice interpreting the applicable laws and regulations as necessary. Forty-eight states, as well as the District of Columbia and a number of US territories, permit penalties on mandatory reporters who knowingly or willfully fail to report suspected abuse. Penalties vary from state to state but typically include monetary fines and/or jail time.²² In addition,

mandatory reporters expose themselves to civil lawsuits for failure to report. Should the patient subsequently be harmed as a consequence of the physician failing to act, the physician could be sued for medical negligence²⁴ or face possible sanctions from a state licensing board.²⁵ Reports made in good faith out of concern for the welfare of the child provide criminal and civil immunity to the reporter, but this immunity does not apply if there is willful misconduct or gross negligence by the reporter.^{23,26} As of 2015, 29 states impose penalties for false reporting of abuse. These vary from state to state, range from misdemeanor to felony charges, and include monetary fines and potential jail time. False or negligent reporting also places the reporter at risk for a civil lawsuit.²²

DUTY TO PROTECT EMPLOYEES AND VISITORS

In recent years, health care facilities have become targets of violence. Violence or threat of violence necessitates the involvement of law enforcement. There are no national standards specifically addressing workplace violence, although federal law requires that "each employer shall furnish to each of his employees employment and a place of employment, which are free from recognized hazards that are causing or are likely to cause death or serious physical harm to his employees."²⁷ This is referred to as the General Duty Clause, and specific recommendations are enumerated by the Occupational Safety and Health Administration (OSHA).²⁸ Helpful information in establishing step-by-step safety policies to protect health care employees from potentially violent visitors can be found on the OSHA Web site (<https://www.osha.gov/SLTC/workplaceviolence/>).²⁹ Certain "low-risk industries," including physicians' offices, are exempt from reporting injuries and illness to

OSHA.³⁰ However, when a workplace incident results in a fatality or serious injury, including inpatient hospitalization, reporting is required.³¹ State and local agencies may have broader regulatory and reporting requirements.

A safety audit can be performed to evaluate the workplace for various hazards, including workplace violence. Online resources are available for a self-performed audit, but a safety and security professional may provide a more-detailed and comprehensive analysis.

RECOMMENDATIONS

The following recommendations are intended to help pediatricians implement office policies and procedures that may minimize legal risks should a patient arrive at the medical office in the care of an adult whose judgment is impaired.

Safety

Physician practice owners and employers: conduct a safety audit of your facility, including procedures for management of judgment-impaired visitors. Establish an office policy and train staff to respond appropriately. Incorporate this policy into your OSHA compliance program. Review and update the policy periodically. If the procedure is implemented, document the incident, how it was handled, and any injuries that occurred and evaluate whether the safety policy needs to be revised as a result of this occurrence. Maintain these records in a secure area of the office. Contact your professional liability insurance company to determine if consulting services for developing such a loss-prevention program are available. Report any episodes of workplace violence to your insurance carrier, OSHA, and any state or local agencies as appropriate.

Physician employees: review facility safety policies and discuss procedures with your employer.

Encourage the employer to conduct periodic safety audits of the premises.

Confidentiality

Verify applicable confidentiality laws and align your office policies with these laws. Unless state law indicates otherwise, the physician's duty to the patient should take precedence over the caretaker's expectation of confidentiality.

Conversations regarding the caretaker's substance use can be challenging. The tension of this dialogue can be mitigated by

- having a supporting and safe environment;
- emphasizing that your purpose is the safety and well-being of the child as well as support for the caretaker;
- discussing your concerns regarding the risk to the child caused by the caretaker's impairment in a compassionate and nonjudgmental manner; using the benefit of your previous rapport and professional relationship; and
- assisting the individual in finding resources to address his or her substance use and its effect on the child, as appropriate. A recommendation for the individual to discuss options with their primary care physician can also be

an effective means to medically address related issues.

Consent and Permission

An impaired caretaker may not be able to give permission to medical treatment of the child. Therefore, it would be prudent to postpone nonurgent pediatric care until a time at which permission can be obtained. If no care is delivered, it is suggested that the physician document in the medical record that "valid and sufficient consent or permission was not given by the caretaker for treatment today."

Mandated Reporting

Use your best clinical judgment to determine the specific risks that the caretaker's condition poses to the child. Take action accordingly. Be knowledgeable of your state's laws governing reporting child abuse, standards of abuse, and consequences of failing to report for mandated reporters. If you believe there is an acute risk to the child because of the caretaker's condition, contacting law enforcement and child protective agencies is an appropriate means to secure the child's safety and obtain appropriate treatment of the impaired caretaker. Should the child's custodial parent or guardian agree, it may be preferable to release the child to

the care of a relative rather than have the child accompany the caretaker to the emergency department or police station. Child protective services may be in the best position to make such determinations.

LEAD AUTHORS

Steven A. Bondi, JD, MD, FAAP
James P. Scibilia, MD, FAAP

COMMITTEE ON MEDICAL LIABILITY AND RISK MANAGEMENT, 2017–2018

Jon Mark Fanaroff, MD, JD, FAAP, Chairperson
Robin L. Altman, MD, FAAP
Steven A. Bondi, JD, MD, FAAP
Sandeep K. Narang, MD, JD, FAAP
Richard L. Oken, MD, FAAP
John W. Rusher, MD, JD, FAAP
Karen A. Santucci, MD, FAAP
James P. Scibilia, MD, FAAP
Susan M. Scott, MD, JD, FAAP
Laura J. Sigman, MD, JD, FAAP

STAFF

Julie Kersten Ake

ABBREVIATIONS

AAP: American Academy of Pediatrics
OSHA: Occupational Safety and Health Administration

Address correspondence to Steven A. Bondi, JD, MD, FAAP, Department of Pediatrics, University of Rochester School of Medicine and Dentistry, Rochester, NY. E-mail: steven_bondi@urmc.rochester.edu

PEDIATRICS (ISSN Numbers: Print, 0031-4005; Online, 1098-4275).

Copyright © 2019 by the American Academy of Pediatrics

FINANCIAL DISCLOSURE: The authors have indicated they have no financial relationships relevant to this article to disclose.

FUNDING: No external funding.

POTENTIAL CONFLICT OF INTEREST: The authors have indicated they have no potential conflicts of interest to disclose.

REFERENCES

1. Lipari RN, Van Horn SL. *Children Living With Parents Who Have a Substance Use Disorder: The CBHSQ Report*. Rockville, MD: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration; 2017
2. Smith VC, Wilson CR; Committee on Substance Use and Prevention. Families affected by parental substance use. *Pediatrics*. 2016;138(2):e20161575
3. Committee on Early Childhood, Adoption, and Dependent Care. The pediatrician's role in family support

- and family support programs. *Pediatrics*. 2011;128(6). Available at: www.pediatrics.org/cgi/content/full/128/6/e1680
4. Dictionary.com. Impairment. Available at: <https://www.dictionary.com/browse/impairment>. Accessed December 4, 2018
 5. Chasnoff IJ, Landress HJ, Barrett ME. The prevalence of illicit-drug or alcohol use during pregnancy and discrepancies in mandatory reporting in Pinellas County, Florida. *N Engl J Med*. 1990;322(17):1202–1206
 6. Lantos J. The patient-parent-pediatrician relationship: everyday ethics in the office. *Pediatr Rev*. 2015; 36(1):22–29; quiz 30
 7. *Archer v Cassel*, 2015 WL 1500447 (Conn Sup, 2015)
 8. United Nations. *Convention on the Rights of the Child*. New York, NY: United Nations Treaty Series; 1989
 9. Committee on Bioethics. Informed consent in decision-making in pediatric practice. *Pediatrics*. 2016;138(2): e20161484
 10. Committee on Pediatric Emergency Medicine and Committee on Bioethics. Consent for emergency medical services for children and adolescents. *Pediatrics*. 2011;128(2):427–433
 11. Fanaroff JM; Committee on Medical Liability and Risk Management. Consent by proxy for nonurgent pediatric care. *Pediatrics*. 2017;139(2):e20163911
 12. Committee on Bioethics. Conflicts between religious or spiritual beliefs and pediatric care: informed refusal, exemptions, and public funding. *Pediatrics*. 2013;132(5):962–965
 13. *Hodge v Lafayette General Hospital*, 399 So 2d 744 (La App 3rd Cir 1981)
 14. *Buie v Reynolds*, 571 P2d 1230 (Okla Ct App 1977)
 15. McAbee GN, Donn SM, McDonnell WM. The evolving doctrine of informed consent in medical malpractice lawsuits: a reason for concern for neonatologists. *J Neonatal Perinatal Med*. 2011;4(4):303–307
 16. Emergency Medical Treatment and Active Labor Act, 42 USC §1395dd (1986)
 17. Health Insurance Portability and Accountability Act of 1996, Pub L No. 104-191, 110 Stat. 1936 (1996)
 18. Modifications to the HIPAA privacy, security, enforcement, and breach notification rules under the health information technology for economic and clinical health act and the genetic information nondiscrimination act; other modifications to the HIPAA rules. *Fed Regist*. 2013;78(17):5565–5702
 19. Committee on Child Abuse and Neglect. Policy statement—Child abuse, confidentiality, and the Health Insurance Portability and Accountability Act. *Pediatrics*. 2010;125(1):197–201
 20. Committee on Injury, Violence, and Poison Prevention. Policy statement—Role of the pediatrician in youth violence prevention. *Pediatrics*. 2009;124(1):393–402
 21. Child Welfare Information Gateway. *Definitions of Child Abuse and Neglect*. Washington, DC: US Department of Health and Human Services, Children's Bureau; 2016. Available at: <https://www.childwelfare.gov/pubPDFs/define.pdf>. Accessed November 3, 2018
 22. Child Welfare Information Gateway. *Penalties for Failure to Report and False Reporting of Child Abuse and Neglect*. Washington, DC: US Department of Health and Human Services, Children's Bureau; 2016. Available at: <https://www.childwelfare.gov/topics/systemwide/laws-policies/statutes/report/>. Accessed November 3, 2018
 23. Child Welfare Information Gateway. *Immunity for Reporters of Child Abuse and Neglect*. Washington, DC: US Department of Health and Human Services, Children's Bureau; 2016. Available at: <https://www.childwelfare.gov/topics/systemwide/laws-policies/statutes/immunity/>. Accessed November 3, 2018
 24. *Landeros v Flood*, 17 Cal. 3d 399, 551 P.2d 389 (Cal Sup, 1976)
 25. *Malur v Illinois Dept of Professional Regulation*, No. 11 MR 297 (Cir. Ct. Madison County, 2013)
 26. Child Abuse Prevention and Treatment Act, 42 USC §5106a(b)(2)(B)vii (2010)
 27. General Duty Clause of the OSH Act of 1970, 29 USC §654 5(a)1. Available at: <https://www.osha.gov/laws-regs/oshact/section5-duties>. Accessed December 4, 2018
 28. US Occupational Safety and Health Administration. *Guidelines for Preventing Workplace Violence for Health Care and Social Service Workers*. Washington, DC: US Department of Labor; 2016. Available at: <https://www.osha.gov/Publications/osa3148.pdf>. Accessed November 3, 2018
 29. US Occupational Safety and Health Administration. Workplace violence: enforcement. Available at: <https://www.osha.gov/SLTC/workplaceviolence/standards.html>. Accessed January 26, 2018
 30. Partial exemption for establishments in certain industries. 29 CFR §1904.2 (2016). Available at: <https://www.gpo.gov/fdsys/granule/CFR-2016-title29-vol5/CFR-2016-title29-vol5-sec1904-2>. Accessed December 4, 2018
 31. Reporting fatalities and multiple hospitalization incidents to OSHA. 29 CFR 1904.39 (2013). Available at: <https://www.gpo.gov/fdsys/granule/CFR-2013-title29-vol5/CFR-2013-title29-vol5-sec1904-39>. Accessed December 4, 2018

**Dealing With the Caretaker Whose Judgment Is Impaired by Alcohol or Drugs:
Legal and Ethical Considerations**

Steven A. Bondi, James Scibilia and COMMITTEE ON MEDICAL LIABILITY
AND RISK MANAGEMENT

Pediatrics 2019;144;

DOI: 10.1542/peds.2019-3153 originally published online November 25, 2019;

Updated Information & Services	including high resolution figures, can be found at: http://pediatrics.aappublications.org/content/144/6/e20193153
References	This article cites 11 articles, 8 of which you can access for free at: http://pediatrics.aappublications.org/content/144/6/e20193153#BIBL
Subspecialty Collections	This article, along with others on similar topics, appears in the following collection(s): Current Policy http://www.aappublications.org/cgi/collection/current_policy Committee on Medical Liability and Risk Management http://www.aappublications.org/cgi/collection/committee_on_medical_liability_and_risk_management Administration/Practice Management http://www.aappublications.org/cgi/collection/administration:practice_management_sub Medical Liability http://www.aappublications.org/cgi/collection/medical_liability_sub
Permissions & Licensing	Information about reproducing this article in parts (figures, tables) or in its entirety can be found online at: http://www.aappublications.org/site/misc/Permissions.xhtml
Reprints	Information about ordering reprints can be found online: http://www.aappublications.org/site/misc/reprints.xhtml

American Academy of Pediatrics

DEDICATED TO THE HEALTH OF ALL CHILDREN®



PEDIATRICS[®]

OFFICIAL JOURNAL OF THE AMERICAN ACADEMY OF PEDIATRICS

Dealing With the Caretaker Whose Judgment Is Impaired by Alcohol or Drugs: Legal and Ethical Considerations

Steven A. Bondi, James Scibilia and COMMITTEE ON MEDICAL LIABILITY
AND RISK MANAGEMENT

Pediatrics 2019;144;

DOI: 10.1542/peds.2019-3153 originally published online November 25, 2019;

The online version of this article, along with updated information and services, is
located on the World Wide Web at:

<http://pediatrics.aappublications.org/content/144/6/e20193153>

Pediatrics is the official journal of the American Academy of Pediatrics. A monthly publication, it has been published continuously since 1948. Pediatrics is owned, published, and trademarked by the American Academy of Pediatrics, 345 Park Avenue, Itasca, Illinois, 60143. Copyright © 2019 by the American Academy of Pediatrics. All rights reserved. Print ISSN: 1073-0397.

American Academy of Pediatrics

DEDICATED TO THE HEALTH OF ALL CHILDREN[®]

